

The Professional Thermal Solution Provider of

Philips Fortimo LED Twistable (Downlight) Module




SUNON[®]
www.sunon.com

2012/01/13 (Philips_Twistable-e01)

Features

- Excellent quality with cost-effective & energy-efficient thermal solution.
- Short lead time & prompt delivery.
- Flexible & customized heat sink design.
- Light weight solutions with small, compact form factor give luminaire markers maximum freedom of design.
- Easy installation.





Model No.	RA001-001999DN	RA002-001999DN
Dimensions	φ 170 x 10 mm	φ 170 x 30 mm
Weight	190g	565 g
Heat Sink Material	AL6063	AL6063
Twistable 1100lm (20 W)	Tc=58 °C @Ta=35°C	Tc=50°C @Ta=35°C
Twistable 2000lm (32 W)	--	Tc=57°C @Ta=35°C

1. Tc : Maximum Surface Temperature of LED Module, Ta : Ambient Temperature.
2. All specifications were tested in free air.
3. Products or Information are subject to change without notice. Please contact with Sunon Sales.


Assembly in 3 Steps



- 1
Carefully remove the protection film
on the LED module.



- 2
Make sure the mounting holes on the
LED module are aligned with the three
mounting holes on the heat sink.



- 3
Insert three M3 screws through the LED
module and into the heat sink. Tighten
the screws to ensure that the LED
module and the heat sink are securely
assembled.